

DR.: \_\_\_\_\_ DATE: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_

PHONE: ( ) \_\_\_\_\_

SIGNATURE: \_\_\_\_\_ LICENSE #: \_\_\_\_\_

EMAIL: \_\_\_\_\_

☐ Photos sent to photos@newimagedl.com

☐ Please call doctor for instructions

Special Instructions: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

## ALL CERAMIC

### Full Contour Zirconia:

☐ AllZir ☐ NiZir ☐ BruxZir ☐ e.max ZirCAD (milled zirconia)

**Porcelain Fused to Zirconia:** ☐ PrismaCk CZ

**Pressable Ceramic:** ☐ e.max Press (pressed lithium disilicate)

**Milled Ceramic:** ☐ e.max CAD (milled lithium disilicate)

**Veneers:** ☐ e.max Press (pressed lithium disilicate)

## CROWN & BRIDGE

### Porcelain Fused to

- ☐ Base  
☐ Noble  
☐ White Gold/High Noble  
☐ Captek™  
☐ Golden Gate® (Yellow Gold/High Noble)

### Miscellaneous

- ☐ Direct Casting ☐ Post & Core  
☐ White Noble ☐ White Noble  
☐ Yellow Noble ☐ Yellow Noble

### Full Cast Restorations

- ☐ White Base  
☐ White Noble  
☐ Yellow Gold / Noble (40%)  
☐ Yellow Gold / High Noble (60%)  
☐ Yellow Gold / High Noble JRV (77%)

### Maryland Bridges

- ☐ e.max Press  
☐ Porcelain Fused to Zirconia  
☐ PFM Base ☐ PFM Noble

Abutment Tooth #s \_\_\_\_\_ Pontic Tooth #s \_\_\_\_\_

**Diagnostic Wax-up:** ☐ Digital ☐ Traditional

**UltraCAD PMMA Provisional:** ☐ Splinted ☐ Single Units

**NI**  
**NEW IMAGE**  
**DENTAL LABORATORY®**  
1395 Southlake Parkway • Morrow, GA 30260  
(770) 968-0911 • (800) 233-6785  
Fax (770) 960-1758  
www.NewImageDentalLab.com

### PATIENT NAME

☐ Male ☐ Female Age: \_\_\_\_\_

Shade: \_\_\_\_\_ Value: \_\_\_\_\_

Prep Shade: \_\_\_\_\_  
(required for All Ceramic)

**DUE DATE:** \_\_\_\_\_  
(date returned to your office)

☐ Patient not appointed/standard turnaround

☐ Patient appointed on: \_\_\_\_\_

### Send Supplies


**RX Forms:** ☐ Crown & Bridge

☐ Implant ☐ Removable

**Labels:** ☐ Ground ☐ 2-Day ☐ Next Day

**Package:** ☐ Case Boxes ☐ OSHA Bags

### DESIGN CASE HERE:



Date Received: \_\_\_\_\_




## Use Semi-Adjustable Articulator

- ☐ Denar Screw-Retained ☐ Whip Mix ☐ Stratos ☐ Sam3  
☐ Denar Magnetic-Retained ☐ Panadent ☐ Hanau ☐ KaVo

## Reason for Treatment

- ☐ Closing Diastema ☐ Discolored Teeth ☐ Misalignment ☐ Lengthen

## Anatomy ☐ Follow Existing Dentition

- ☐ Primary Anatomy  ☐ Rounded Anatomy  ☐ Deep Fossa with Secondary 

**Surface Anatomy:** ☐ Smooth ☐ Textured ☐ Mamelon Development

## Pontic Design

- ☐ Full Ridge  ☐ Part Ridge  ☐ Sanitary Pontic  ☐ Ovate 



## Buccal Margin Design

- ☐ Metal Band or \_\_\_\_\_mm on Buccal  
☐ Porcelain to Metal on Buccal  
☐ Porcelain Butt Margin (90° Shoulder Req.)

## Contacts

- ☐ Closed  
☐ Diastema  
☐ Broad

## Occlusal Surface Design

- ☐  Metal/Zr Occlusal Excluding Buccal Cusp  
☐  Metal/Zr Occlusal Including Buccal Cusp  
☐ Metal/Zr Island at Occlusal Contact

## If Insufficient Room or No Occlusal Clearance


- ☐ Metal/Zr Occlusal ☐ Metal/Zr Island ☐ Please Call  
☐ Reduce Opposing ☐ Reduction Coping

**Pink Porcelain** ☐ Light ☐ Medium ☐ Dark ☐ Sending photos

**Framework Try-In** ☐ Yes ☐ No

**Dies to be Trimmed by Doctor** ☐ Yes ☐ No

## Indicate Characterization



## ENCLOSED WITH CASE (for lab use only)

- \_\_\_\_ Study Models ☐ Photo ☐ Solid Model  
\_\_\_\_ Impression ☐ Bite ☐ Patient's Partial  
\_\_\_\_ Old Crown ☐ Shade Tab ☐ Opposing Model  
\_\_\_\_ Implant Parts ☐ Framework ☐ Working Model