

DR.: _____ DATE: _____

ADDRESS: _____

CITY: _____ STATE: _____ ZIP: _____

PHONE: () _____

SIGNATURE: _____ LICENSE #: _____

EMAIL: _____

Photos sent to photos@newimagedl.com

Please call doctor for instructions

Special Instructions: _____

ALL CERAMIC

Full Contour Zirconia:

- AllZir (multi-layer) NiZir (economical) BruxZir

Porcelain Fused to Zirconia: PFZ

Pressable Ceramic: e.max Press (pressed lithium disilicate)

Milled Ceramic: e.max CAD (milled lithium disilicate)

Veneers: e.max Press (pressed lithium disilicate)

CROWN & BRIDGE

Porcelain Fused to

- Base
 Noble
 White Gold/High Noble
 Captek™
 Golden Gate® (Yellow Gold/High Noble)

Full Cast Restorations

- White Base
 White Noble
 Yellow Gold / Noble (40%)
 Yellow Gold / High Noble (60%)
 Yellow Gold / High Noble JRVT (77%)

Miscellaneous

- Direct Casting Post & Core
 White Noble White Noble
 Yellow Noble Yellow Noble

Maryland Bridges

- e.max Press
 Porcelain Fused to Zirconia
 PFM Base PFM Noble

Abutment Tooth #s _____ Pontic Tooth #s _____

Diagnostic Wax-up: Digital Traditional

UltraCAD PMMA Provisional: Splinted Single Units



NEW IMAGE DENTAL LABORATORY®

1395 Southlake Parkway • Morrow, GA 30260
(770) 968-0911 • (800) 233-6785
Fax (770) 960-1758
www.NewImageDentalLab.com

PATIENT NAME

Male Female Age: _____

Shade: _____ Value: _____

Prep Shade: _____
(required for All Ceramic)

DUE DATE: _____
(date returned to your office)

Patient not appointed/standard turnaround

Patient appointed on: _____

Send Supplies


RX Forms: Crown & Bridge

Implant Removable

Labels: Ground 2-Day Next Day

Package: Case Boxes OSHA Bags

DESIGN CASE HERE:



Date Received: _____

Use Semi-Adjustable Articulator

- Denar Screw-Retained Whip Mix Stratos Sam 3
 Denar Magnetic-Retained Panadent Hanau KaVo

Reason for Treatment

- Closing Diastema Discolored Teeth Misalignment Lengthen

Anatomy Follow Existing Dentition

- Primary Anatomy Rounded Anatomy Deep Fossa with Secondary

Surface Anatomy: Smooth Textured Mamelon Development

Pontic Design

- Full Ridge Part Ridge Sanitary Pontic Ovate

Buccal Margin Design

- Metal Band or _____mm on Buccal
 Porcelain to Metal on Buccal
 Porcelain Butt Margin (90° Shoulder Req.)

Contacts

- Closed
 Diastema
 Broad

Occlusal Surface Design

- Metal/Zr Occlusal Excluding Buccal Cusp
 Metal/Zr Occlusal Including Buccal Cusp
 Metal/Zr Island at Occlusal Contact

If Insufficient Room or No Occlusal Clearance


- Metal/Zr Occlusal Metal/Zr Island Please Call
 Reduce Opposing Reduction Coping

Pink Porcelain Light Medium Dark Sending Photos

Framework Try-In Yes No

Dies to be Trimmed by Doctor Yes No

Indicate Characterization



Occlusal Stain

- No Stain
 Pits Pits & Fissures
 Pits, Fissures & Grooves

ENCLOSED WITH CASE (for lab use only)

- _____ Study Models _____ Photo _____ Solid Model
_____ Impression _____ Bite _____ Patient's Partial
_____ Old Crown _____ Shade Tab _____ Opposing Model
_____ Implant Parts _____ Framework _____ Working Model